



# Spark ablation metal nanoparticles and coating on TiO<sub>2</sub> in the aerosol phase

Benjamin Gfeller<sup>1</sup>, Mariia Becker<sup>1</sup>, Adrian D. Aebi<sup>1</sup>, Nicolas Bukoviecki<sup>1</sup>, Marcus Wyss<sup>2</sup>, Markus Kalberer<sup>1</sup>

<sup>5</sup> <sup>1</sup>Department od Environmental Sciences, University of Basel, Basel, 4056, Switzerland <sup>2</sup>Swiss Nanoscience Institute, University of Basel, Basel, 4056, Switzerland

Correspondence to: Markus Kalberer (markus.kalberer@unibas.ch)

Abstract. Generation and characterisation of metal nanoparticles (NPs) gained attention in recent years due to their significant potential in applications as diverse as catalysis, electronics or energy storage. Despite the high interest in NPs,

- 10 their characterisation remains challenging and detailed quantitative information on size, number concentration and morphologies are key to understand their properties. In this study we generated NPs from four metals, Au, Pt, Cu and Ni, via spark ablation in the aerosol phase, which allows to produce NPs as small as 1 nm in high quantities and purity. Particles were characterised with transmission electron microscopy (TEM), scanning transmission electron microscopy (STEM) and energy dispersive X-ray spectroscopy (EDX) as well as online aerosol particle size distribution measurement techniques.
- 15 Particle size modes for the four metals ranged between 3 nm and 5 nm right after generation. Differences in number and size of particles generated can be rationalised with thermodynamic properties of the metals such as melting point or surface free energy. The four metal NPs were also coagulated with larger TiO<sub>2</sub> NPs of about 120 nm size and the metal surface coverage of the TiO<sub>2</sub> particles was characterised with electron microscopy and EDX spectroscopy. This detailed characterisation of NPs mixtures will be essential for a fundamental understanding of spark ablation generated particles and their applications
- 20 for material sciences.

## **1** Introduction

Nanoparticles (NPs) have long been discovered to have unique physical and chemical properties such as their changed hardness, elastic modulus, adhesion force(Guo et al., 2013; Khan et al., 2019) as well as electronic, optical and catalytic properties(Baig et al., 2021; Cuenya, 2010; Jennings and Strouse, 2007; Terna et al., 2021) compared to bulk material.

- 25 Understanding the working principles on the nano-scale is crucial for new and emerging applications in energy harvesting(Ulmer et al., 2019), medicine(Murthy, 2007), electronics(He et al., 2020) etc. to be improved. There is a wide range of generation methods for metal NPs ranging from chemical methods such as chemical reduction(Gudikandula and Charya Maringanti, 2016) and sol-gel methods(Lu and Jagannathan, 2002) to physical methods like laser or spark ablation (Nagarajan, 2008; Schwyn et al., 1988; Ullmann et al., 2002). Chemical approaches which
- 30 usually produce NPs in batch processes are well established often yielding reproducible output within narrow particle size





distributions.(Daruich De Souza et al., 2019; Jamkhande et al., 2019; Zhang et al., 2010) However, the purity of the generated particles can be compromised due to solvent residues or the toxicity of reagents can pose challenges.(Jamkhande et al., 2019; Zhang et al., 2010) In comparison, in physical generation methods, particles are often generated in an inert gas, allowing for a continuous particle production usually yielding particles in high purity due to the absence of liquid precursors

35 and solvent.(Kumari et al., 2023)

Spark discharge generation (SDG) is a precursor-free aerosol particle generation method that produces a high quantity and purity of NPs. During particle generation in SDG, electrode material is evaporated in the vicinity of an electrical spark initiated via the break-down of a high voltage difference applied to the electrodes.

The discharge occurs on time scales of microseconds at temperatures of around 20'000 Kelvin(Reinmann and Akram, 1997).

- 40 At these temperatures, electrode material is evaporated and immediately mixed with a carrier gas. Therein, the electrode vapor expands rapidly and cools down with quenching rates of 10<sup>7</sup> Ks<sup>-1</sup> resulting in the homogeneous nucleation of the evaporated electrode material to NPs with sizes well below 10 nm (Pfeiffer et al., 2015). This method is highly versatile as every conductive and solid pure element or alloy can be used for particle generation. (Schwyn et al., 1988) Compared to laser ablation, no high energy lasers are needed for SDG particle generation, making it technically a more straight forward
- 45 process. (Tabrizi et al., 2009) The generation of metal NPs via SDG has gained increasing attention in recent years (Hallberg et al., 2018; Petallidou et al., 2023; Snellman et al., 2024) due to the potential applications of NPs e.g., in catalysis(Weber et al., n.d.), nanoprinting(Jung et al., 2021) and drug delivery(Murthy, 2007). Quantification of NPs generated in the gas phase with diameters in the 1-5 nanometer range is challenging.(Kangasluoma et al., 2013)

al., 2020) Given their high diffusion coefficients(Hinds, 1999), sampling must occur rapidly after particle generation to

- 50 minimise losses due to diffusion to walls of the experimental setup or coagulation with other particles. Currently available techniques to determine aerosol NP number size distributions mainly use size classification via mobility analysis using differential mobility analysers (DMA) and detection via condensation particle counters (CPC) or electrometers.(Chen et al., 1998) Electrical mobility methods suffer from low charging efficiencies of particles in the low nm size range(Fuchs, 1963) resulting in low detection efficiencies. Although CPCs can detect particles to sizes down to about 2 nm (Brilke et al., 2020),
- 55 detection is challenging because particles need to get activated in a supersaturated vapour (usually butanol or water) before detection of the activated particle by light scattering and due to diffusional losses of the smallest particles. Furthermore, these methods do not allow to assess particle morphologies. High-resolution imaging techniques are required for morphological analysis of particles as small as 1 nm and electron microscopy is an alternative method to determine particle number and size distributions down to this size range. (Fissan et al., 2014; Karlsson et al., 2006)
- 60 NPs generated in the gas phase can be manipulated, e.g. by depositing small NPs on the surface of larger (substrate) particles in the gas phase resulting in particles with complex chemical or physical properties. (Pfeiffer et al., 2015; Snellman et al., 2024) Metal NPs can be used to coat semiconducting particles such as TiO<sub>2</sub>, MgO or CuO<sub>2</sub>.(Gao et al., 2015; Hejral et al., 2013; Lopez, 2004; Molina and Hammer, 2005)





Different methods are available to assess the efficiency of such coating processes. Microscopic imaging can visualise coating 65 structures and assess them qualitatively in high resolution.(Harra et al., 2015; Pfeiffer et al., 2015) For a quantification of the coatings, such techniques can also be used but usually only a small number of coated particles can be evaluated due to the time consuming analysis.(Backman et al., 2004; Harra et al., 2015) Furthermore, measurements of the aerosol number size distributions of the two composites individually (i.e. substrate NPs and coating NPs) and during the coating via mobility sizing and counting are often conducted to quantify the coating. (Backman et al., 2004; Lähde et al., 2008)

- 70 In this study we investigated the size distribution of four SDG-generated metal NPs (Au, Pt, Cu and Ni) and their coagulation characteristics with larger TiO<sub>2</sub> particles. A detailed qualitative description of NP morphologies was conducted utilizing parameters such as primary particle size and the fractal dimension D<sub>f</sub> using high resolution transmission electron microscopy (TEM). Furthermore, in bi-modal coagulation experiments of metal NPs with larger TiO<sub>2</sub> NPs, coating efficiencies and coating structures are assessed using numerous methods including gravimetry, TEM, STEM (scanning
- 75 transmission electron microscopy) and STEM-EDX (STEM in combination with energy dispersive X-ray spectroscopy).

# 2 Experimental

Figure 1 shows a general overview of the experimental setup used to generate metal and TiO<sub>2</sub> particles and collect them for characterisation.




Figure 1: Schematic of the setup used to generate (A, B), process (C) and analyse (D) metal NPs. The spark generated particles (A) are either mixed with nebulised TiO<sub>2</sub> substrate NPs (B) in a variable volume for coagulation (C) or directly analysed with transmission electron microscopy (TEM), scanning transmission electron microscopy (STEM) and STEM in combination with energy dispersive X-ray spectroscopy (STEM-EDX) and by scanning mobility particle sizing (SMPS) (D).





# 2.1 Particle generation and mixing

- 80 Metal NPs were generated with a spark discharge generator (SDG) (VSParticle, Model G1, Delft, NL) (Fig. 1, A). In a SDG, the breakdown of a high voltage applied to two electrodes causes a discharge spark. The high temperatures of the spark (up to 20'000 K) evaporate electrode material, which is quickly quenched in a continuous carrier gas flow causing the evaporated material to condense into particles consisting of the electrode material.
- To ensure comparability, the break down voltage of the instrument was set to 1 kV with a current of 5 mA in all experiments. Au, Pt, Cu and Ni nanoparticles were generated with the SDG using electrodes of the respective metal with a purity of 99.99% and a diameter of 3 mm. The SDG was run in crossflow mode, where the quenching gas N<sub>2</sub> (99.999% purity) entered the spark chamber perpendicular to the electrodes at the position of the spark. If not specified otherwise, the N<sub>2</sub> flow rate was set to 5.8 l/min. To decrease instabilities in the particle generation, the system ran for 30 min before further particle processing and collection. This equilibration process was monitored using a scanning mobility particle sizer (SMPS,
- 90 DMA model 3085, CPC model 3776, TSI, Shoreview, USA). In addition to metal nanoparticles, TiO<sub>2</sub> aerosol particles were generated, using a home-built nebuliser (Fig. 1, B) containing a 1%wt suspension of TiO<sub>2</sub> particles with a rutile and anatase mixture and a BET determined particle size <100nm (99.5% purity, Sigma Aldrich, Burlington, USA). The nebuliser inlet is pressurized with N<sub>2</sub> (99.999%) at 3 bar. MiliQ<sup>®</sup> (resistance >18 MΩ) water was used for the preparation of the suspension to minimise impurities. Before use, the TiO<sub>2</sub> suspension was
- 95 sonicated for 10 min and stirred continuously during operation to minimize coagulation within the suspension. The nebulised aerosol with a flowrate of 1.2 +/- 0.1 l/min passed through a cylinder filled with amorphous silica to reduce the relative humidity to < 2%. Analogously to the SDG, the particle output of the nebuliser was left to equilibrate for 30 min before the analysis.</p>

After exiting the SDG or the nebuliser, the aerosol particles entered a variable mixing volume (Fig. 1, C) with coagulation 100 times of 1.3 s, 2.2 s or 26.0 s, respectively, to allow for mono- or bi-modal coagulation (coating). If not mentioned otherwise, conductive Tygon tubing (TSI, Shoreview, USA) was used throughout the set up.

#### 2.2 Particle collection

Aerosol particles were collected on TEM grids, filters or on TiO<sub>2</sub> substrate films. For TEM, STEM and STEM-EDX
particles were collected in a diffusional collection chamber on TEM grids (Quantifoil® R 1.2/1.3 on Cu or Au 200 mesh grids + 2 nm C, Grosslöbichau, Germany) for 2 h for each configuration. Teflon filters (2 μm pore size, 47 mm diameter, Pall Corporation, Port Washington, USA) were installed after the coagulation volumes to collect the aerosol particles for gravimetric analyses for 6h for all metals.

Alternatively, a film of  $TiO_2$  substrate ( $TiO_2$  electrodes opaque, Solaronix, Aubonne, CH) was used and exposed to a metal 110 aerosol flow for 6h (Au and Pt) and 12h (Cu, Ni).





## 2.3 Particle analysis

Several measurement techniques were used to characterise metal and  $TiO_2$  NPs (Fig. 1, D). Particles were analysed with TEM as well as STEM and STEM-EDX (JEM-F200 cFEG, Jeol, Tokyo, Japan). For STEM, high-angle annular dark-field

- (HAADF) and annular bright-field (ABF) detectors were used. Au, Pt, Cu and Ni particles were measured separately or coated on TiO<sub>2</sub>, in TEM mode. The coated aerosol particles were further analysed in STEM mode and STEM-EDX. The image analysis tool ImageJ (Fiji, v.1.54.f) was used for quantification and characterization of the particles. After differentiation of the particles and the background grid via manual adjustment of the colour threshold of the images, quantitative (2D projected area and number of particles within one m<sup>2</sup> of the grid) and qualitative information (morphology) were determined.
- Gravimetric measurements of particles collected on Teflon filters were conducted using a high precision balance (Model XPR2, Mettler Toledo, Columbus, USA). For STEM-EDX analysis of metal NPs coated TiO<sub>2</sub> films, lamellas (thin cross sections of the films) were prepared using a

FEI Helios NanoLab 650 DualBeam (FEI, Hillsboro, USA). Depending on which metal NP was deposited on the  $TiO_2$ , a

- 125 protective layer of gold or carbon was deposited with a sputter coater or a carbon coater. Since the TiO<sub>2</sub> film surface is rough, a layer of about 100 nm thickness was deposited. To prevent damage from ions an additional double layer of platinum or carbon was deposited. The first Pt or C-layer was deposited using electron-induced deposition at a beam energy of 5 keV and a beam current of 3.2 nA. The second Pt or C-layer was deposited with ion-induced deposition at a beam energy of 30 keV and a beam current of 83 pA. Sample cutting and polishing was carried out with the focused ion beam at a beam energy
- 130 of 30 kV and beam currents ranging from 240 pA down to 83 pA. The sample thickness was < 75 nm. The imaging of TEM lamellas was carried out with a JEOL JEM-F200 instrument operated in STEM-mode at a beam energy of 200 kV. A scanning mobility particle sizer (SMPS, TSI, Shoreview, USA) consisting of a soft X-ray neutralizer (Model 3087), electrostatic classifier (Model 3080), DMA (Model 3085) and CPC (Model 3776) was used to monitor particle size distributions. The instrument was operated with a 1.5 l/min sample flow and a 15 l/min sheath air flow and a scanning range</p>
- 135 of 1.5 nm to 64 nm with a theoretical 50% detection efficiency diameter ( $D_{50}$ ) of 2.5 nm of the CPC.





# **3** Results and Discussion

# **3.1 Metal nanoparticles**

# 140 3.1.1 Particle morphologies

Au, Pt, Cu and Ni metal NPs were generated with the SDG and collected for 2 hours, approximately 1.3 s after exiting the spark generator, by diffusion onto TEM grids. They were then analysed via TEM for their morphology. Fig. 2 shows TEM micrographs of all four metals, with particle sizes ranging between < 2 nm up to > 50 nm for all metals. The significant differences in number concentrations and morphologies are summarized in Table 1.




Figure 2: TEM micrographs of spark generated Au, Cu, Pt and Ni NPs. The aerosol particles were collected via diffusion 1.3 s after generation for a collection time of 2h. Morphologies range between mostly spherical (Au) to increasingly fractal-like (Pt, Cu, Ni) particles.

145 The particle morphology was assessed by calculating their circularity using equation 1, with values between 0 and 1. A circularity value of 1 corresponds to fully spherical particles and increasingly smaller values indicate more and more elongated shapes. Au particles are most spherical with an average circularity of about 0.9 (Table 1) whereas Cu and Ni have average circularity values around 0.55.

$$Circularity = 4\pi \frac{Projected Particle Area}{Perimeter^2}$$
(1)

150 Au formed fully spherical (i.e. coalesced) particles up to almost 6 nm whereas for Pt, Cu and Ni this threshold was at 3.2 nm, 1.3 nm and 1.1 nm, respectively. Fully coalesced particles are defined here as primary particles. The maximal size of primary particles was determined from particle circularities plotted against the projected area equivalent diameter for each metal (Fig. A1). The data was fitted with a logistic function and a decrease of the fit of 10 % with increasing size relative to the starting value was defined as the maximal primary particle diameter. 10% was chosen to ensure persisting sphericity. For larger





155 particles, aggregate (i.e. partially coalesced primary particles) and agglomerates (i.e. loosely combined particle assemblies) were observed abundantly.

Table 1: Parameters to quantify particle morphologies for NPs generated via spark ablation collected after 1.3 s coagulation time and data on melting point depletion of NPs. Errors for circularity and fractal dimensions indicate standard deviations of all analysed particles and error estimates of the maximum diameter of spherical particles are detailed in appendix A.

Metal	Average Circularity	Max. diameter of spherical ( <i>primary</i> ) particles [nm]	Fractal Dimension D <sub>f</sub>	Melting point for NPs (particle size 2 nm and 10 nm) and bulk [K] (reference)
Au	$0.9 \pm 0.1$	5.6 ± 0.3	1.75 ± 0.05	600, 1200, 1338 (Schlexer et al., 2019)
Pt	0.7 ± 0.2	3.2 ± 0.1	1.76 ± 0.05	1287, 1685, 2043 (Wang et al., 2019)
Cu	0.6 ± 0.2	$1.3 \pm 0.4$	$1.74 \pm 0.06$	964, 1289, 1357 (Wu et al., 2021)
Ni	0.5 ± 0.2	1.1 ± 0.1	1.67 ± 0.07	893, 1623, 1726 (Van Teijlingen et al., 2020)

160

Reasons for particle morphologies to differ between the four metals are manifold. Particle growth is strongly material, size and temperature dependent. Initial coalescence occurs within the spark generator under rapid cooling of the supersaturated vapor. However, coalescence and aggregation can continue well below the bulk melting points of the individual metals (Lehtinen and Zachariah, 2002). Significantly lower melting points for particles in the low-nm size range compared to bulk

- 165 values have been estimated (see Table 1) because of the increased surface to volume ratio associated with large internal stress.(Buffat and Borel, 1976; Castro et al., 1990) As we generate particles as small as 1 nm this melting point depression likely has a notable effect on the particle morphologies observed here, resulting in a more pronounced coalescence and therefore a relatively late onset of agglomeration. Temperatures in Table 1 were obtained from literature using a thermodynamic liquid nucleation and growth model or molecular dynamics simulations. According to these models, Au NPs
- 170 experience the lowest melting points (600 K for 2 nm particles; Table 1), which could explain the large diameter of primary Au particles of up to about 5.6 nm, whereas Pt exhibits the highest melting points, which might explain the lower primary particle size observed here. It is further reported that for Au particles, liquid-like behaviour, i.e., having a high mobility surface layer, occurs down to room temperature. (Arcidiacono et al., 2004; Kofman et al., 1994) Multiple studies describe Au particles smaller than approximately 3 nm as being liquid like at room temperature.(Castro et al., 1990; Pfeiffer et al.,
- 175 2015)

For Cu and Ni particles a substantial melting point depression is estimated as well, but their primary particles are smaller than for Au and Pt. These elements are more prone to surface oxidation than Au and Pt (Barr, 1978; Payne et al., 2009), which results in higher melting points than estimated for the pure metals, preventing further coalescence/aggregation. (Gao and Gu, 2015; Weber and Friedlander, 1997) Even though we use high purity (99.99%) electrodes, oxygen impurities in the

180 carrier gas in the low ppm range used in our study lead to the formation of oxide layers for Cu and Ni. (Hallberg et al., 2018; Olszok et al., 2024)





Further particle growth via agglomeration can be described quantitatively via the fractal dimension  $D_f$  of the particles (Table 1) (Eggersdorfer and Pratsinis, 2012; Olszok et al., 2021).  $D_f$  values between  $1.67 \pm 0.07$  and  $1.76 \pm 0.05$  were determined for the four metals from TEM micrographs using box counting analysis.(Pashminehazar et al., 2019) These values are in

185 good agreement with the literature for diffusion limited cluster-cluster aggregation of  $1.77 \pm 0.03$ .(Eggersdorfer and Pratsinis, 2012) This matches the findings of a previous study (Olszok et al., 2021) stating that spark generated aerosol particles are formed via diffusion limited cluster-cluster aggregation.

## 1.1.2 Particle losses within the spark generator

Particle losses inside the spark generator were estimated for all four metals by comparing the mass of metal NPs collected on

- 190 a filter for 6h immediately after the SDG with the mass that was ablated from both electrodes during the collection (Table 2). The electrode mass loss is lowest for Cu with 17 µmol and goes up to 82.5 µmol for Ni. The particle mass collected on filters ranges between 5 µmol (Au and Cu) and 37 µmol (Ni). Particle losses within the spark generator are substantial and range between 54% (Ni) up to 91% (Au). The majority of the losses can be attributed to losses immediately after NP generation due to the high electric and magnetic fields present in the plasma of the spark which affects the charged particles.(Meuller et al. 2007)
- 195 al., 2012; Tabrizi et al., 2009)

The total amount of ablated material strongly depends on the thermal properties of the metals. Lower thermal conductivities lead to a less effective cooling of the electrode material and hence more evaporation. (Tabrizi et al., 2009; Tritt, 2005) Furthermore, lower boiling points also lead to more evaporation. Hence, the highest ablated electrode mass of Ni could be explained by the low thermal conductivity combined with a low boiling point. This large ablated mass of Ni explains the large number of agglomerates >20 nm seen in Fig. 2. In contrast, the lowest ablated electrode mass is found for Cu, which

has the highest thermal conductivity (Table 2).

Table 2: Mass of ablated electrode material for each metal with data on boiling and melting points as well as thermal and electrical conductivities obtained from (Tritt, 2005). Mean and standard deviation of triplicate measurements are given.

Metal	Mass loss electrode [µmol]	NP mass on filter [µmol]	Loss in Spark Generator [%]	Thermal conductivity [W m <sup>-1</sup> K <sup>-1</sup> ]	Electric conductivity [10 <sup>-8</sup> <b>Ω</b> m]	Bulk Boiling point [K]	Bulk Melting point [K]
Au	54.5 ± 9	5 ± 0.5	91 ± 1	318	2.03	3073	1338
Pt	46.5 ± 2	9 ± 1.5	80 ± 2	72	9.82	4098	2043
Ni	82.5 ± 8	37.5 ± 2.5	54 ± 4	93	6.24	3073	1357
Cu	17 ± 6.5	5 ± 0.5	66 ± 19	402	1.73	2848	1726

205 The higher relative losses of Au in the SDG can be explained by an increased Joule heating due to a lower electric conductivity combined with a relatively low melting point (Table 2). Due to the local heating of the electrodes, the formation of molten microscopic pools on the electrode surface can lead to the formation of large micron sized particles. (Tabrizi et al., 2009) Ultimately, this might lead to losses of these large particle due to impaction within the spark chamber.





Furthermore, oxidation of the aerosol particles during generation as well as on the filter leads to an increase in total particle 210 mass on the filter. This effect is most pronounced for the non-noble metals Cu and Ni but could also occur to some degree for Au and Pt. Thus, the mass losses within the spark generator are likely underestimated.

## 3.1.3 Aerosol particle size distributions

Figure 3 shows particle size distributions determined from TEM micrographs for all four metals with modes ranging from 2 nm (Pt and Cu) to about 3 - 4 nm (Au and Ni) for the shortest coagulation time of 1.3 s and increasing modes for the two

215 longer coagulation times. Particle sizes are lognormally distributed as expected given the single-source of the particles.(Hinds, 1999) Total number concentrations for the shortest coagulation time are largest for Au and Pt and more than 60% lower for Cu and Ni.




Figure 3: Metal NP number size distributions determined from TEM micrographs with ImageJ within one  $\mu m^2$  of a TEM grid for three coagulation times: 1.3 s, 2.2 s and 26.0 s for Au and Pt and 1.3 s coagulation time for Ni and Cu. After a coagulation time of 1.3 s, particle modes range from 2 nm (Pt and Cu) to approximately 3 - 4 nm for Au and Ni. Particle concentrations are significantly higher (> 250%) for Au and Pt compared to Cu and Ni. The shaded bins for Ni indicate an overestimation of the smallest particles. Inserts for Au and Pt show the strongly decreased size distributions after a particle coagulation time of 26.0 s.

For the longer coagulation times (2.2 s and 26.0 s) fewer particle numbers are observed due to increased coagulation (resulting in to a shift of the mode to larger diameters) and diffusional losses to the tube walls. For Ni and Cu size

- 220 distributions for the longer coagulation times could not be determined due to the overall smaller particle concentrations resulting in poor counting statistics. Difficulties in particle detection in TEM for Cu and Ni also arise due to the lower resolution of the NPs during imaging for these two elements, which depends, e.g., on the atomic number ( $\propto Z^2$ ) and the thickness of particles. Thus, given the lower atomic numbers of Cu and Ni (Z 29 and 28, respectively) and the smaller primary particles, Cu and Ni particles suffer from a lower resolution compared to Au and Pt (Z 79 and 78, respectively)
- 225 particles. Although enhanced contrast can be achieved via image manipulation in ImageJ, the detection of particles with a



240



diameter of a few nm is still challenging. The shaded bins in the case of Ni indicate the overestimation of the smallest particles due to the lower signal to noise ratio during particle detection with ImageJ.

Particles are deposited on TEM grids due to diffusion in a laminar flow regime. This results in an overestimation of the smaller particles compared to the larger particles and therefore the size distribution displayed in Fig. 3 is skewed towards smaller particle sizes compared to the size distribution present in the aerosol phase. This collection artefact can be corrected

230 smaller particle sizes compared to the size distribution present in the aerosol phase. This collection artefact can be corrected for, assuming that Brownian diffusion was the dominant particle collection process on the TEM grids. The dimension of the collection chamber, the diffusion coefficient of the particles and the flowrate of the aerosol stream (Hinds, 1999) were used to calculate the particles number size distributions in the aerosol flow after a coagulation time of 1.3 s and 2.2 s, respectively, for Au and Pt (Fig. 4, black data). As expected, modes of the calculated size distributions in Fig. 4 are shifted by approximately 1-2 nm to larger sizes compared to the histograms in Fig. 3.




Figure 4: Aerosol number size distributions estimated from TEM micrographs of Au and Pt NPs. The NPs were collected via diffusion for 2h for coagulation times of 1.3 s and 2.2 s and subsequently used to calculate the aerosol distributions (in black). In red, as a comparison, simultaneously measured SMPS distributions are plotted. Errors for the calculation consist of the propagate statistical error from triplicate measurements. SMPS error bars consist of the standard deviation of the scans taken for an 1h average.

Figure 4 also displays the aerosol particle size distribution measured with an SMPS (red data). For particle sizes > 10 nm the concentrations calculated from TEM analysis and measured by SMPS align well for all four examples shown in Fig. 4. For particles smaller than 10 nm differences of the two size distributions become more pronounced the smaller the particle diameters are, due to the limited counting efficiency of the SMPS (DMA Model 3085, CPC Model 3776, TSI) at particle diameters below 5 nm. This leads to an underestimation of particles in this size range using the SMPS data. The TEM derived size distribution of Au and Pt for a coagulation time of 1.3 s, indicate that nearly 50% and 60%, respectively, of all particles have a diameter < 5 nm. A comparison of coagulation times 1.3 s and 2.2 s shows the growth of the mode of the

size distribution for Au and Pt particles as is expected for longer coagulation times due to Brownian diffusion. Hence, for a

coagulation time of 2.2 s, the SMPS distribution aligns more closely with the calculated TEM distribution (Fig. 4).





- 245 Although TEM-derived particle sizes and SMPS measurements agree well for >10 nm particles, larger particles are affected by sampling uncertainties and thus lager errors in Fig. 4: Due to the smaller number concentrations of particles >10 nm counting uncertainties increase for these sizes. Where several hundred or thousands of <10 nm particles diffuse onto the grid per  $\mu$ m<sup>2</sup> within the sampling time of 2h, larger particles are only collected at significantly lower numbers on the grid (Fig. 3). Moreover, smaller particles can more easily be assumed to be spherical whereas particles >10 nm are mostly agglomerates.
- 250 This results in an underestimation of the larger particles due lower diffusion constants of non-spherical particles compared to spherical ones.(Moskal and Payatakes, 2006; Wang et al., 2017) Furthermore, uncertainties in particle size arise as an accurate size characterization is increasingly difficult for larger fractal-like particles when circular shapes are assumed to calculate particle sizes.

For Ni and Cu, challenges in particle detection with ImageJ (see discussion above) prohibited a detailed analysis. However, the results of the analysis for coagulation time 1.3 s can be found in Fig. A2 in appendix A.

# 3.2 Metal nanoparticle coating on TiO2 nanoparticles

# 3.2.1 Morphology of metal NP coating

All four metal NPs, generated as described above, were mixed and coagulated with nebulised  $TiO_2$  substrate particles (mode 120 nm, concentration about  $8*10^6$  particles cm<sup>-3</sup>) for 26 s and analysed with TEM, STEM and EDX. TEM micrographs




Figure 5: TEM micrographs of TiO<sub>2</sub> substrate particles coated with Au, Pt or Ni NPs. Au and Pt NPs correspond to the small darker structures mainly visible at the edges of the substrate. Ni NP coating appears brighter than the substrate and is only visible on the left edge of the substrate particle. Inserts for Au and Pt provide details of individual primary particles and small agglomerates.

(Fig. 5) show significant differences in the coating with Au, Pt and Ni metal particles. Au and Pt exhibit a high density of 'island-like' coating, i.e. the presence of individual metal NPs on the TiO<sub>2</sub> surface, which are visible clearly at the edges of





the  $TiO_2$  substrate particle. Further towards the centre of the  $TiO_2$  particles, the metal NPs are less visible due to the thick layer of  $TiO_2$  particle which leads to a decrease in contrast for the metal particles.

- 265 For Au, the coating consists predominantly of primary particles and for Pt, a mix is observed between primary particles and agglomerates with sizes up to well above 50 nm. For Ni and Cu, no clear qualitative assessment of the coating was possible because these two metals produce significantly smaller primary particles in the spark generator (Table 1) and exhibit lower contrasts in TEM. While for Ni fractal-like particles are faintly visible at the edge of the TiO<sub>2</sub> substrate particle, no coating was detectable for Cu (Fig. B1).
- 270 The coating behaviour depends on various factors such as the thermodynamic properties of the two involved particle types and the size and number concentration of the coating particles. Surface wetting, i.e. the tendency of a liquid, or liquid-like particle to spread and adhere to a substrate particle (TiO<sub>2</sub>), is a key concept to describe the coating. (Huhtamäki et al., 2018) Wetting depends on the particle size and the surface free energies of the involved species (62), i.e. metals and TiO<sub>2</sub> in our study. Metal particles of a few nm in size can be considered liquid or liquid-like as discussed previously. When such
- 275 particles coagulate with TiO<sub>2</sub>, they can rearrange depending on the relative surface free energies of metal and TiO<sub>2</sub>. If the metal has a lower surface free energy than the substrate species, surface wetting occurs, which can lead to the formation of a smooth coating layer. (Pfeiffer et al., 2015) Values for the surface free energies vary strongly in literature and depend on the techniques used to determine them, the crystal structures and the temperature and pressure of the measurement. TiO<sub>2</sub> has a surface free energy ranging between 0.6 and 1.3 Jm<sup>-2</sup>.(Labat et al., 2008) Values for Au, Pt, Cu and Ni range between 1.4 Jm<sup>-</sup>
- <sup>2</sup> and 1.9 Jm<sup>-2</sup>.(Kinloch, 1987; Tyson and Miller, 1977) Both, Au and Pt primary particles experience a slight wetting on the TiO<sub>2</sub> surface as can be seen in the inserts of Fig. 5. A contact angle (Young angle) of 57 degrees for Au and of 63 degree for Pt was measured, i.e. well below 90 degrees, which was expected given that TiO<sub>2</sub> has a similar surface free energy as the metal NPs and therefore partial wetting rather than a smooth coverage is expected. Ni and Cu likely exhibit the same behaviour due to the similar surface free energies, however, this could not be confirmed from our TEM analyses as discussed a structure.
- above.

#### 3.2.2 Size and concentration of metal NP coating

STEM micrographs and EDX spectra were recorded for Au, Pt and Ni NPs on  $TiO_2$  particles to assess the number size distributions of the metal NPs that coagulated with  $TiO_2$  (Fig. 6). EDX provides spectral maps which show the spatial distribution of the elements present in the sample and thus allows to distinguish between  $TiO_2$  substrate and metal coating

290 also in the centre of a  $TiO_2$  particle. The EDX signal was integrated over 1h in order to achieve the highest possible resolution without disintegrating the particle due to exposure to the high energy electron beam. Figure 6 depicts the EDX recordings of the coating for Au, Pt and Ni (green) on  $TiO_2$  particles (blue). In STEM micrographs (Fig. 6) the spatial distribution of metal NPs on  $TiO_2$  particles is also clearly visible, particularly for Au and Pt due to the dependence of the contrast in STEM analyses on the atomic number of the analysed elements.








Figure 6: STEM-EDX spectral mappings (TiO<sub>2</sub>: blue, coating metals: green) and STEM micrographs (black and white) of TiO<sub>2</sub> substrate particles coated with Au, Pt or Ni. For Au and Pt, additional histograms of the number size distributions of the coating particles (i.e. 'Metal@TiO<sub>2</sub>') are displayed.

- Au and Pt coating particles are lognormally distributed on the substrate with a mode of approximately 3.5 nm for both metals (see histograms in Fig. 6). This is slightly lower than the mode of the aerosol particle distributions of around 5 nm (Au) and 4 nm (Pt) determined in Fig. 4. These discrepancies can be explained by the particle size dependence of the Brownian coagulation where the large TiO<sub>2</sub> particles scavenge smaller metal particles with a higher efficiency than larger metal particles.
- 300 The Ni NPs coating on TiO<sub>2</sub> could only be characterised qualitatively with EDX. Figure 6 shows >10 nm Ni agglomerates adsorbed to the TiO<sub>2</sub> surface, similar to the coating of Pt. Ni particles <10 nm are likely also present, but visualisation proved to be challenging given the smaller size of the primary particles compared to Au and Pt (Table 1). The particle size distribution of metal NPs coated on TiO<sub>2</sub> was also assessed via TEM image analysis using the same

The particle size distribution of metal NPs coated on  $11O_2$  was also assessed via TEM image analysis using the same approach as discussed for Fig. 4: The Au particle size distribution was calculated by counting the number and size of Au NPs

- 305 on the TEM grids that did not coagulate with  $TiO_2$  particles when Au and  $TiO_2$  were mixed for 1.3 s and 2.2 s. This was compared to the size distributions when no  $TiO_2$  particles were present in the set up (Fig. 4). The Au number concentration during coating (red datapoints in Fig. 7) is significantly lower than in the case when no  $TiO_2$  particles are present (black datapoints, Fig. 7). A reduction of the individual Au NPs (i.e. not adsorbed to  $TiO_2$  particles) of nearly 50% was determined (4.0 \* 10<sup>8</sup> particles cm<sup>-3</sup> compared to 2.6 \* 10<sup>8</sup> particles cm<sup>-3</sup> for 1.3 s coagulation time). This reduced concentration of
- 310 individual Au NPs can be attributed to their coagulation (i.e. coating) with TiO<sub>2</sub> and serves as a lower boundary for the coating efficiency of > 1 \* 10<sup>8</sup> particles cm<sup>-3</sup>, i.e. about 20 Au NPs per TiO<sub>2</sub> substrate particle assuming 8 \* 10<sup>6</sup> TiO<sub>2</sub> particles cm<sup>-3</sup>.








Figure 7: Aerosol number size distributions estimated from TEM micrographs of uncoated Au NPs for mono-modal coagulation or bi-modal coagulation with TiO<sub>2</sub> NPs. For both coagulation times of 1.3 s and 2.2 s, the metal distributions during the coating (red, 'Metal@TiO<sub>2</sub>') were significantly lower than during experiments when TiO<sub>2</sub> was absent (black). This decrease in particle concentration is directly related to the TiO<sub>2</sub> particle coating with Au NPs. Error bars are shown for the propagated statistical error from triplicate measurements.

This is a lower estimate of the coating, because in the absence of TiO<sub>2</sub> particles (black data, Fig. 7) Au-Au NP coagulation is more effective, lowering the total particle concentration, compared to conditions when TiO<sub>2</sub> particles are present, where Au
NPs coagulation with TiO<sub>2</sub> is a competing process to the Au-Au coagulation. Therefore, higher number concentrations of primary Au NPs are coagulating with TiO<sub>2</sub> than estimated from the difference of the two number size distributions shown in Fig. 7. This underestimation of Au NPs coagulating with TiO<sub>2</sub> is confirmed qualitatively by the larger (i.e. >20) number of Au NPs counted on TiO<sub>2</sub> particles with STEM/EDX analysis (Fig. 6, histogram Au@TiO<sub>2</sub>), where about 80-100 Au NPs per TiO<sub>2</sub> particle were counted. Equivalent analyses were conducted for Pt, Ni and Cu. Due to increased uncertainties in particle

320 detection and conversion to aerosol distributions, no clear decrease in metal NP number size distributions during coating can be determined for these three metals (Fig. A3).

To explore if a denser coating of metal NPs on  $TiO_2$  particles could be achieved, we deposited NPs on  $TiO_2$  films via diffusion. The films were exposed for 6h (Au and Pt) or 12h (Ni) to a metal NP flow. Lamellas, i.e., thin cross sections of




Figure 8: EDX spectral mappings of the cross-section of TiO<sub>2</sub> substrate films (in blue) coated with Au, Pt or Ni NPs (in green). The TiO<sub>2</sub> films were exposed for 6h (Au and Pt) or for 12h (Ni) to a metal NP stream.





metal coated TiO2 films, were then cut. The longer collection time for Ni was needed to improve the signal intensity in EDX

- 325 due to smaller primary particles and lower aerosol particle concentration of Ni compared to Au and Pt. Cross-sections of the coated TiO<sub>2</sub> substrate layers were measured with STEM and EDX as depicted in Fig. 8. For Pt and Ni individual particles are visible (i.e. island-like coating, green in Fig. 8) which is in agreement with the observation of individual TiO<sub>2</sub> coating particles shown in Figs. 5 and 6. Au particles appear to aggregate the most, and thus a continuous layer forms on the TiO<sub>2</sub> surface (blue in Fig. 8) when exposed for 6h. As discussed above, Pt and Ni show similar coating behaviours for particles
- >10 nm. In contrast to Au, Pt and Ni both exhibit strong agglomerate formation with particles up to several hundreds of nanometres in size and even at long exposure times of 6h (Pt) or 12h (Ni), no continuous metal layer forms on the TiO<sub>2</sub> particle layer.

The smooth green-coloured area in the EDX mapping of Ni in Fig. 8 is due to the Au sputtering layer on the  $TiO_2$  film (see experimental section) and not due to Ni NPs. Only the faint green fractal structures in the lower half of Fig. 8 corresponds to

335 Ni NPs, loosely attached to blue TiO<sub>2</sub> particles. In addition to the EDX recordings presented here, STEM micrographs can be found in Fig. A4.

## 4 Conclusion

In this study we investigated spark discharge generated metal NPs and their coating behaviour on  $TiO_2$  substrate NPs in the aerosol phase. NPs of four metals (Au, Pt, Cu, Ni) were characterised for size and morphology. Using TEM measurements,

340 aerosol particle number size distributions of particles as small as 1 nm with modes of the size distribution of 3 – 5 nm were determined, which poses a significant challenge for commonly used aerosol particle size measurement techniques. Differences in particle size and number distributions for the four metals could be correlated with their thermodynamic properties such as melting point or surface free energy.

Coating of the four metal NPs on TiO2 substrate NPs via coagulation was characterised with TEM, STEM and EDX and

345 showed that Au and Pt particles adsorbed on TiO<sub>2</sub> particles partially wetted the TiO<sub>2</sub> substrate. Up to about 100 Au NPs were coating a single TiO<sub>2</sub> particle. For Au, a continuous coating layer could be achieved by increasing the deposition time to several hours. A detailed characterisation of metal NPs and their coagulation and coating behaviour with TiO<sub>2</sub> particles as provided here will be important to assess chemical or electronic properties of coated TiO<sub>2</sub> particles in future studies.

350





# Appendix A

Additional and complementary graphs supporting the paper are presented here.




Figure A1: Particle circularities plotted for the metals Au, Pt, Cu and Ni against the surface equivalent diameter after 1.3 s coagulation time and after 2.2 s and 26.0 s for experiments where particle numbers were sufficiently large. The data was fitted with a logistic function to determine a maximal primary particle size for each metal. While Au particles remain spherical up to a size of more than 5 nm, Pt, Cu and Ni begin to form agglomerates below 3.5 nm. Errors given in Table 1 are derived from the errors of the fit parameters shown in this figure.

355




Figure A2: Aerosol particle number size distributions calculated from TEM micrographs of Ni and Cu NPs. The NPs were collected via diffusion for 2h for a coagulation time of 1.3 s and the corresponding aerosol particle distributions were calculated as described for Fig. 4. In red, as a comparison, simultaneously measured SMPS particle size distributions are plotted. The calculated distribution matches the measured distribution well for particles > 10 nm. For < 10 nm particles, the calculated distributions deviate from the SMPS values which can be partially attributed to the limit of detection of the SMPS instrument.








Figure A3: Aerosol number size distributions estimated from TEM micrographs of uncoated Pt, Cu and Ni NPs for monomodal (in black) or bi-modal coagulation with TiO<sub>2</sub> NPs ('metal@TiO<sub>2</sub>', in red). No clear difference in particle number concentration and size is visible between the two size distributions for the three metals. Errors for the calculation consist of the propagated statistical error from triplicate measurements.




Figure A4. STEM micrographs of lamellas of coated TiO<sub>2</sub> films for Au, Pt and Ni. While coating particles are clearly visible for Au (bright dots) and Pt (dark dots), Ni particles are only visible in EDX mappings (see Fig. 8, main text). The bright caps in the Ni micrograph originate from a strong background signal due to sputtering with Au. For details, see the method section of the paper.

Appendix B





Given the low number concentrations and small sizes of Cu aerosol particles (see Fig. A2, Fig. 3 and Table 1), the detection of Cu coating on TiO<sub>2</sub> particles was not possible (see Fig. B1 below).

Likely, Cu particles present are below the limit of resolution for TEM, STEM, EDX and are thus not visible in Fig. B1 (A C). The larger background signal of Cu in EDX and STEM (Fig. B1, D, E) is due to Cu-containing components inside the microscope, causing higher background levels compared to the other three metals. Therefore, it was not possible to analyse Cu NP coatings. However, given the slightly lower surface free energy of Cu (Kinloch, 1987) compared to TiO<sub>2</sub> (Labat et al., 2008), we estimate island-like coatings of predominantly primary particles.




Figure B1: Attempt of electron microscopic imaging of Cu NP coating on TiO<sub>2</sub> particles (A-C) as well as of the deposition of Cu NPs on a TiO<sub>2</sub> film for 12h and subsequent lamella extraction (D, E). While in TEM (A) no coating is visible, a very weak signal of Cu in EDX (B, in green) likely indicates that coating particles are present on the surface of the TiO<sub>2</sub> particle. However, Cu NPs cannot be resolved in STEM (C). EDX of the lamella (D) shows a strong Cu signal which originates mainly from Cu components in the instrument and not from Cu NPs. Thus the coating behaviour of Cu on TiO<sub>2</sub> particles can not be assessed reliably with the techniques used here.





#### 365 Appendix C

Complementary to the experimental approaches detailed above, a numerical coagulation model from Zhang and coworkers (Zhang et al., 2020) was adapted and implemented to determine the decrease of Au NPs due to coagulation with  $TiO_2$  particles and diffusion to tubing walls, respectively.

Input for the model was the aerosol size distribution at the point where the Au NPs are mixed with the TiO<sub>2</sub> substrate 370 particles (8\*10<sup>6</sup> cm<sup>-3</sup>, mode at 120 nm). The Au NP input distribution was determined via TEM analyses and a subsequent calculation of the corresponding aerosol concentration (see main text, Fig. 4). The TiO<sub>2</sub> distribution was measured with an SMPS.

Figure C1.A shows how many particles per size bin are lost due to coagulation during the coating. For this calculation, the Au NP concentration before coating (t=0 s) is compared to the modelled concentration after a specific coagulation time. For

- 375 26.0 s up to approximately 20 nm, nearly all of the particles coagulated. Less pronounced losses are observed for the much shorter coagulation times of 1.3 and 2.2 s, as expected. Although the modal model does not include diffusion losses which are highly relevant for < 50 nm particles, they are accounted for separately via a particle loss calculator (von der Weiden et al., 2009) (Fig. C1.B). The diffusive losses were determined for all three coagulation times. Results from these calculations (Fig. C1.B) show the importance of diffusive losses, especially for <10 nm particles. For an accurate assessment of the</p>
- 380 particle losses in our experiments, a combined coagulation and diffusional loss model would be needed, which will be presented in a forthcoming study.




Figure C1: A: Modelled 'losses' (decrease in particle concentration) due to coagulation during coating of Au on TiO<sub>2</sub> after coagulation times 1.3 s, 2.2 s and 26.0 s. B: Size dependent diffusion losses for the three coagulation times. Losses for 1 nm particles are about 10 times higher than for 10 nm and about 100 times higher than for 50 nm particles for all coagulation times. 2.2 s and 26.0 s have similar losses due to favorable tube geometries (with larger tube diameter) for the 26.0 s experiments.



390



#### Data availability

Data for this article, consisting of Excel files are available at the Open Science Framework at 385 https://doi.org/10.17605/OSF.IO/ZM3G4.

#### Author contributions

Conceptualization – MB and BG; investigation – BG, MB and AA; methodology (adaptation and model implementations) – NB and BG; methodology (image analysis) – BG; methodology (electron microscopy) – MW, BG and MB; project administration – MB and BG; funding acquisition and supervision – MK; writing (original draft) – BG; writing (review and editing) – all authors

#### **Competing interests**

The authors declare that they have no conflict of interest.

#### Acknowledgements

This work was supported by the Swiss National Science Foundation (200021 192192/1).

#### 395 References

Arcidiacono, S., Bieri, N. R., Poulikakos, D., and Grigoropoulos, C. P.: On the coalescence of gold nanoparticles, International Journal of Multiphase Flow, 30, 979–994, https://doi.org/10.1016/j.ijmultiphaseflow.2004.03.006, 2004.

Backman, U., Tapper, U., and Jokiniemi, J. K.: An aerosol method to synthesize supported metal catalyst nanoparticles, Synthetic Metals, 142, 169–176, https://doi.org/10.1016/j.synthmet.2003.08.007, 2004.

400 Baig, N., Kammakakam, I., and Falath, W.: Nanomaterials: a review of synthesis methods, properties, recent progress, and challenges, Mater. Adv., 2, 1821–1871, https://doi.org/10.1039/D0MA00807A, 2021.

Barr, T. L.: An ESCA study of the termination of the passivation of elemental metals, J. Phys. Chem., 82, 1801–1810, https://doi.org/10.1021/j100505a006, 1978.

Brilke, S., Resch, J., Leiminger, M., Steiner, G., Tauber, C., Wlasits, P. J., and Winkler, P. M.: Precision characterization of
 three ultrafine condensation particle counters using singly charged salt clusters in the 1–4 nm size range generated by a
 bipolar electrospray source, Aerosol Science and Technology, 54, 396–409,
 https://doi.org/10.1080/02786826.2019.1708260, 2020.

Buffat, Ph. and Borel, J.-P.: Size effect on the melting temperature of gold particles, Phys. Rev. A, 13, 2287–2298, https://doi.org/10.1103/PhysRevA.13.2287, 1976.





410 Castro, T., Reifenberger, R., Choi, E., and Andres, R. P.: Size-dependent melting temperature of individual nanometer-sized metallic clusters, Phys. Rev. B, 42, 8548–8556, https://doi.org/10.1103/PhysRevB.42.8548, 1990.

Chen, D.-R., Pui, D. Y. H., Hummes, D., Fissan, H., Quant, F. R., and Sem, G. J.: Design and evaluation of a nanometer aerosol differential mobility analyzer (Nano-DMA), Journal of Aerosol Science, 29, 497–509, https://doi.org/10.1016/S0021-8502(97)10018-0, 1998.

415 Cuenya, B. R.: Synthesis and catalytic properties of metal nanoparticles: Size, shape, support, composition, and oxidation state effects, Thin Solid Films, 518, 3127–3150, https://doi.org/10.1016/j.tsf.2010.01.018, 2010.

Daruich De Souza, C., Ribeiro Nogueira, B., and Rostelato, M. E. C. M.: Review of the methodologies used in the synthesis gold nanoparticles by chemical reduction, Journal of Alloys and Compounds, 798, 714–740, https://doi.org/10.1016/j.jallcom.2019.05.153, 2019.

420 Eggersdorfer, M. L. and Pratsinis, S. E.: The Structure of Agglomerates Consisting of Polydisperse Particles, Aerosol Science and Technology, 46, 347–353, https://doi.org/10.1080/02786826.2011.631956, 2012.

Fissan, H., Ristig, S., Kaminski, H., Asbach, C., and Epple, M.: Comparison of different characterization methods for nanoparticle dispersions before and after aerosolization, Anal. Methods, 6, 7324, https://doi.org/10.1039/C4AY01203H, 2014.

425 Fuchs, N. A.: On the stationary charge distribution on aerosol particles in a bipolar ionic atmosphere, Geofisica Pura e Applicata, 56, 185–193, https://doi.org/10.1007/BF01993343, 1963.

Gao, F. and Gu, Z.: Melting Temperature of Metallic NanoparticlesMetal nanoparticlessynthetic methods, in: Handbook of Nanoparticles, edited by: Aliofkhazraei, M., Springer International Publishing, Cham, 1–25, https://doi.org/10.1007/978-3-319-13188-7\_6-1, 2015.

430 Gao, J., Liu, Q., Gu, F., Liu, B., Zhong, Z., and Su, F.: Recent advances in methanation catalysts for the production of synthetic natural gas, RSC Adv., 5, 22759–22776, https://doi.org/10.1039/C4RA16114A, 2015.

Gudikandula, K. and Charya Maringanti, S.: Synthesis of silver nanoparticles by chemical and biological methods and their antimicrobial properties, Journal of Experimental Nanoscience, 11, 714–721, https://doi.org/10.1080/17458080.2016.1139196, 2016.

435 Guo, D., Xie, G., and Luo, J.: Mechanical properties of nanoparticles: basics and applications, J. Phys. D: Appl. Phys., 47, 013001, https://doi.org/10.1088/0022-3727/47/1/013001, 2013.

Hallberg, R. T., Ludvigsson, L., Preger, C., Meuller, B. O., Dick, K. A., and Messing, M. E.: Hydrogen-assisted spark discharge generated metal nanoparticles to prevent oxide formation, Aerosol Science and Technology, 52, 347–358, https://doi.org/10.1080/02786826.2017.1411580, 2018.

440 Harra, J., Juuti, P., Haapanen, J., Sorvali, M., Roumeli, E., Honkanen, M., Vippola, M., Yli-Ojanperä, J., and Mäkelä, J. M.: Coating of Silica and Titania Aerosol Nanoparticles by Silver Vapor Condensation, Aerosol Science and Technology, 49, 767–776, https://doi.org/10.1080/02786826.2015.1072263, 2015.

He, Z., Zhang, Z., and Bi, S.: Nanoparticles for organic electronics applications, Mater. Res. Express, 7, 012004, https://doi.org/10.1088/2053-1591/ab636f, 2020.



470



445 Hejral, U., Vlad, A., Nolte, P., and Stierle, A.: In Situ Oxidation Study of Pt Nanoparticles on MgO(001), J. Phys. Chem. C, 117, 19955–19966, https://doi.org/10.1021/jp404698k, 2013.

Hinds, W. C.: Aerosol Technology: Properties, Behavior, and Measurement of Airborne Particles, Subsequent edition., Wiley-Interscience, New York, 483 pp., 1999.

Huhtamäki, T., Tian, X., Korhonen, J. T., and Ras, R. H. A.: Surface-wetting characterization using contact-angle measurements, Nat Protoc, 13, 1521–1538, https://doi.org/10.1038/s41596-018-0003-z, 2018.

Jamkhande, P. G., Ghule, N. W., Bamer, A. H., and Kalaskar, M. G.: Metal nanoparticles synthesis: An overview on methods of preparation, advantages and disadvantages, and applications, Journal of Drug Delivery Science and Technology, 53, 101174, https://doi.org/10.1016/j.jddst.2019.101174, 2019.

Jennings, T. and Strouse, G.: Past, Present, and Future of Gold Nanoparticles, in: Bio-Applications of Nanoparticles, edited by: Chan, W. C. W., Springer, New York, NY, 34–47, https://doi.org/10.1007/978-0-387-76713-0\_3, 2007.

Jung, W., Jung, Y.-H., Pikhitsa, P. V., Feng, J., Yang, Y., Kim, M., Tsai, H.-Y., Tanaka, T., Shin, J., Kim, K.-Y., Choi, H., Rho, J., and Choi, M.: Three-dimensional nanoprinting via charged aerosol jets, Nature, 592, 54–59, https://doi.org/10.1038/s41586-021-03353-1, 2021.

Kangasluoma, J., Cai, R., Jiang, J., Deng, C., Stolzenburg, D., Ahonen, L. R., Chan, T., Fu, Y., Kim, C., Laurila, T. M.,
 Zhou, Y., Dada, L., Sulo, J., Flagan, R. C., Kulmala, M., Petäjä, T., and Lehtipalo, K.: Overview of measurements and current instrumentation for 1–10 nm aerosol particle number size distributions, Journal of Aerosol Science, 148, 105584, https://doi.org/10.1016/j.jaerosci.2020.105584, 2020.

Karlsson, L. S., Deppert, K., and Malm, J.-O.: Size Determination of Au Aerosol Nanoparticles by Off-Line TEM/STEM Observations, J Nanopart Res, 8, 971–980, https://doi.org/10.1007/s11051-006-9094-5, 2006.

465 Khan, I., Saeed, K., and Khan, I.: Nanoparticles: Properties, applications and toxicities, Arabian Journal of Chemistry, 12, 908–931, https://doi.org/10.1016/j.arabjc.2017.05.011, 2019.

Kinloch, A. J.: Adhesion and Adhesives, Springer Netherlands, Dordrecht, https://doi.org/10.1007/978-94-015-7764-9, 1987.

Kofman, R., Cheyssac, P., Aouaj, A., Lereah, Y., Deutscher, G., Ben-David, T., Penisson, J. M., and Bourret, A.: Surface melting enhanced by curvature effects, Surface Science, 303, 231–246, https://doi.org/10.1016/0039-6028(94)90635-1, 1994.

- Kumari, S., Raturi, S., Kulshrestha, S., Chauhan, K., Dhingra, S., András, K., Thu, K., Khargotra, R., and Singh, T.: A comprehensive review on various techniques used for synthesizing nanoparticles, Journal of Materials Research and Technology, 27, 1739–1763, https://doi.org/10.1016/j.jmrt.2023.09.291, 2023.
- Labat, F., Baranek, P., and Adamo, C.: Structural and Electronic Properties of Selected Rutile and Anatase TiO2 Surfaces: 475 An ab Initio Investigation, J. Chem. Theory Comput., 4, 341–352, https://doi.org/10.1021/ct700221w, 2008.

Lähde, A., Raula, J., and Kauppinen, E. I.: Combined synthesis and in situ coating of nanoparticles in the gas phase, J Nanopart Res, 10, 121–130, https://doi.org/10.1007/s11051-008-9399-7, 2008.

Lehtinen, K. E. J. and Zachariah, M. R.: Energy accumulation in nanoparticle collision and coalescence processes, Journal of Aerosol Science, 33, 357–368, https://doi.org/10.1016/S0021-8502(01)00177-X, 2002.





480 Lopez, N.: On the origin of the catalytic activity of gold nanoparticles for low-temperature CO oxidation, Journal of Catalysis, 223, 232–235, https://doi.org/10.1016/j.jcat.2004.01.001, 2004.

Lu, C.-H. and Jagannathan, R.: Cerium-ion-doped yttrium aluminum garnet nanophosphors prepared through sol-gel pyrolysis for luminescent lighting, Applied Physics Letters, 80, 3608–3610, https://doi.org/10.1063/1.1475772, 2002.

 Meuller, B. O., Messing, M. E., Engberg, D. L. J., Jansson, A. M., Johansson, L. I. M., Norlén, S. M., Tureson, N., and
 Deppert, K.: Review of Spark Discharge Generators for Production of Nanoparticle Aerosols, Aerosol Science and Technology, 46, 1256–1270, https://doi.org/10.1080/02786826.2012.705448, 2012.

Molina, L. M. and Hammer, B.: Some recent theoretical advances in the understanding of the catalytic activity of Au, Applied Catalysis A: General, 291, 21–31, https://doi.org/10.1016/j.apcata.2005.01.050, 2005.

Moskal, A. and Payatakes, A. C.: Estimation of the diffusion coefficient of aerosol particle aggregates using Brownian 490 simulation in the continuum regime, Journal of Aerosol Science, 37, 1081–1101, https://doi.org/10.1016/j.jaerosci.2005.10.005, 2006.

Murthy, S. K.: Nanoparticles in modern medicine: State of the art and future challenges, International Journal of Nanomedicine, 2, 129–141, https://doi.org/10.2147/IJN.S2.2.129, 2007.

Nagarajan, R.: Nanoparticles: Building Blocks for Nanotechnology, in: Nanoparticles: Synthesis, Stabilization, Passivation, and Functionalization, vol. 996, American Chemical Society, 2–14, https://doi.org/10.1021/bk-2008-0996.ch001, 2008.

Olszok, V., Bierwirth, M., and Weber, A. P.: Interaction of Reactive Gases with Platinum Aerosol Particles at Room Temperature: Effects on Morphology and Surface Properties, Nanomaterials, 11, 2266, https://doi.org/10.3390/nano11092266, 2021.

Olszok, V., Rembe, P., and Weber, A. P.: Aerosol photoemission as a versatile tool for nanoparticle surface investigations:
 Evaluation of metal oxide formation and surface properties of multi-component particles, Aerosol Science and Technology, 58, 54–69, https://doi.org/10.1080/02786826.2023.2285307, 2024.

Pashminehazar, R., Kharaghani, A., and Tsotsas, E.: Determination of fractal dimension and prefactor of agglomerates with irregular structure, Powder Technology, 343, 765–774, https://doi.org/10.1016/j.powtec.2018.10.046, 2019.

Payne, B. P., Biesinger, M. C., and McIntyre, N. S.: The study of polycrystalline nickel metal oxidation by water vapour, Journal of Electron Spectroscopy and Related Phenomena, 175, 55–65, https://doi.org/10.1016/j.elspec.2009.07.006, 2009.

Petallidou, K. C., Ternero, P., Messing, M. E., Schmidt-Ott, A., and Biskos, G.: Tuning atomic-scale mixing of nanoparticles produced by atmospheric-pressure spark ablation, Nanoscale Adv., 5, 6880–6886, https://doi.org/10.1039/D3NA00152K, 2023.

Pfeiffer, T., Kedia, P., Messing, M., Valvo, M., and Schmidt-Ott, A.: Precursor-Less Coating of Nanoparticles in the Gas 510 Phase, Materials, 8, 1027–1042, https://doi.org/10.3390/ma8031027, 2015.

Reinmann, R. and Akram, M.: Temporal investigation of a fast spark discharge in chemically inert gases, J. Phys. D: Appl. Phys., 30, 1125, https://doi.org/10.1088/0022-3727/30/7/010, 1997.

 Schlexer, P., Andersen, A. B., Sebok, B., Chorkendorff, I., Schiøtz, J., and Hansen, T. W.: Size-Dependence of the Melting Temperature of Individual Au Nanoparticles, Particle & Particle Systems Characterization, 36, 1800480, 515 https://doi.org/10.1002/ppsc.201800480, 2019.





Schwyn, S., Garwin, E., and Schmidt-Ott, A.: Aerosol generation by spark discharge, Journal of Aerosol Science, 19, 639–642, https://doi.org/10.1016/0021-8502(88)90215-7, 1988.

Snellman, M., Eom, N., Messing, M. E., and Deppert, K.: A thermal evaporator for aerosol core-shell nanoparticle synthesis, Journal of Aerosol Science, 175, 106276, https://doi.org/10.1016/j.jaerosci.2023.106276, 2024.

520 Tabrizi, N. S., Ullmann, M., Vons, V. A., Lafont, U., and Schmidt-Ott, A.: Generation of nanoparticles by spark discharge, J Nanopart Res, 11, 315–332, https://doi.org/10.1007/s11051-008-9407-y, 2009.

Terna, A. D., Elemike, E. E., Mbonu, J. I., Osafile, O. E., and Ezeani, R. O.: The future of semiconductors nanoparticles: Synthesis, properties and applications, Materials Science and Engineering: B, 272, 115363, https://doi.org/10.1016/j.mseb.2021.115363, 2021.

525 Tritt, T. M.: Thermal Conductivity: Theory, Properties, and Applications, Springer Science & Business Media, 306 pp., 2005.

Tyson, W. R. and Miller, W. A.: Surface free energies of solid metals: Estimation from liquid surface tension measurements, Surface Science, 62, 267–276, https://doi.org/10.1016/0039-6028(77)90442-3, 1977.

Ullmann, M., Friedlander, S. K., and Schmidt-Ott, A.: Nanoparticle Formation by Laser Ablation, Journal of Nanoparticle 530 Research, 4, 499–509, https://doi.org/10.1023/A:1022840924336, 2002.

Ulmer, U., Dingle, T., Duchesne, P. N., Morris, R. H., Tavasoli, A., Wood, T., and Ozin, G. A.: Fundamentals and applications of photocatalytic CO2 methanation, Nat Commun, 10, 3169, https://doi.org/10.1038/s41467-019-10996-2, 2019.

Van Teijlingen, A., Davis, S. A., and Hall, S. R.: Size-dependent melting point depression of nickel nanoparticles, Nanoscale Adv., 2, 2347–2351, https://doi.org/10.1039/D0NA00153H, 2020.

535 Wang, G., Xu, Y.-S., Qian, P., and Su, Y.-J.: The effects of size and shape on the structural and thermal stability of platinum nanoparticles, Computational Materials Science, 169, 109090, https://doi.org/10.1016/j.commatsci.2019.109090, 2019.

Wang, Y., Liu, F., He, C., Bi, L., Cheng, T., Wang, Z., Zhang, H., Zhang, X., Shi, Z., and Li, W.: Fractal Dimensions and Mixing Structures of Soot Particles during Atmospheric Processing, Environ. Sci. Technol. Lett., 4, 487–493, https://doi.org/10.1021/acs.estlett.7b00418, 2017.

540 Weber, A. P. and Friedlander, S. K.: In situ determination of the activation energy for restructuring of nanometer aerosol agglomerates, Journal of Aerosol Science, 28, 179–192, https://doi.org/10.1016/S0021-8502(96)00062-6, 1997.

Weber, A. P., Seipenbusch, M., Thanner, C., and Kasper, G.: Aerosol Catalysis on Nickel Nanoparticles, n.d.

 von der Weiden, S.-L., Drewnick, F., and Borrmann, S.: Particle Loss Calculator – a new software tool for the assessment of the performance of aerosol inlet systems, Atmospheric Measurement Techniques, 2, 479–494, https://doi.org/10.5194/amt-2-545 479-2009, 2009.

Wu, R., Zhao, X., and Liu, Y.: Atomic insights of Cu nanoparticles melting and sintering behavior in Cu Cu direct bonding, Materials & Design, 197, 109240, https://doi.org/10.1016/j.matdes.2020.109240, 2021.

Zhang, H., Sharma, G., Dhawan, S., Dhanraj, D., Li, Z., and Biswas, P.: Comparison of discrete, discrete-sectional, modal and moment models for aerosol dynamics simulations, Aerosol Science and Technology, 54, 739–760, https://doi.org/10.1080/02786826.2020.1723787, 2020.





Zhang, Q., Yang, Z., Ding, B., Lan, X., and Guo, Y.: Preparation of copper nanoparticles by chemical reduction method using potassium borohydride, Transactions of Nonferrous Metals Society of China, 20, s240–s244, https://doi.org/10.1016/S1003-6326(10)60047-7, 2010.